

COMFORT DRIVE SAE 20W50 API SL/CF ACEA A3/B3



Description

BENZOL® Comfort Drive SAE 20W50 API SL/CF is a premium quality heavy duty lubricant designed specifically to meet wide range of passenger car engines and light industrial vehicles. It can be used in city, road and highway, during all seasons. It has perfect lubricating properties and viscosity stability combined with deposit and wear control.



Applications

BENZOL® Mineral SAE 20W50 Engine Oil is recommended for passenger cars, light trucks SUV's and vans, Diesel and gasoline powered equipment, moderate duty LPG engines and four strokes' motorcycles engines under the most severe and varied operating conditions.

Specifications and Approvals

API SL/CF ACEA A3/B3, VW 501.00/505.00, MB 229.1

Technical Specifications

Performance Benefits

- Improved control of volatility and oil consumption.
- Protects against soot, varnish, and sludge formation.
- Highly effective control over wear, corrosion and rust
- Exceptional resistance to oxidation and foaming.
- Excellent dispersive and detergent properties which ensure a clean engine
- Improved protection during start-up by maintaining protective oil films.
- Increase engine efficiency.

Product/Part Number

CD16423331	4 x 5	CD16423321	4 x 4
CD16423171	12 x 1	CD16423171	24 X 1
CD16423511	1 x 20	CD16423531	1 x 25
CD16423561	1 x 200	CD16423571	1 x 208
CD16423601	1x1000		

Tests	Method	Results
Appearance	Visual	Clear & Bright
Water	Hot Plate	Nil
Color	D-1500	2.5
Density @ 15 °C, Kg/L	D-1298	0.8815
Viscosity @ 100 °C, cst	D-445	19.45
Viscosity @ 40 °C, cst	D-445	177.7
Viscosity index	D-2270	126
Flash Point, °C (COC)	D-92	240
Pour Point, °C	D-97	-27
Foam SEQ.I/II/III	D-892	0/0/0
TBN, mg KOH/g	D-2896	8.1
CCS at -15°C (mPa.s)	D-5293	8400

HEALTH AND SAFETY

This product is not expected to have adverse health implications when used for its intended application. For detailed information on safe handling of this product, refer to its Material Safety Data Sheet (MSDS). To obtain an MSDS on this or any other BENZOL products, please visit www.benzollubricants.de

