

TRANS DRIVE ATF DEXRON-III



Description

BENZOL® Trans Drive ATF Dexron-III is formulated to provide smooth shifting in the automatic and semi-automatic transmission due to high quality of base oil and the advance additives technology is used in the formulation.



Applications

BENZOL® Trans Drive ATF is particularly suitable for use in automatic transmissions of car & light trucks and On-highway & Off-highway heavy-duty automatic transmissions. It is also recommended for power steering, torque converters and hydraulic systems, where such types of fluids are specified.

Specifications and Approvals

Ford M2C 33F, 33G, M2C-138CJ, Allison C4, Voith 55.6335, Allison TES-389.

Technical Specifications

Performance Benefits

- Smoother shift in transmission.
- Does not break down in stop and go driving.
- Friction properties to provide longer transmission life.
- Compatible with all common seal materials.
- Better component compatibility.

Product/Part Number

TD03020332	4 x 5	TD03020322	4 x 4
TD03020172	12 x 1	TD03020172	24 X 1
TD03020512	1 x 20	TD03020532	1 x 25
TD03020562	1 x 200	TD03020572	1 x 208
TD03020602	1x1000		

Tests	Method	Results
Appearance	Visual	Clear & Bright
Water	Hot Plate	Nil
Color	D-1500	Red
Density @ 15 °C, kg/L	D-1298	0.8540
Viscosity @ 100 °C, cSt	D-445	7.10
Viscosity @ 40 °C, cSt	D-445	36.45
Viscosity index	D-2270	162
Flash Point, °C (COC)	D-92	218
Pour Point, °C	D-97	-45
Foam SEQ.I/II/III	D-892	0/0/0
Brookfield viscosity@-40°C, cP	D-2983	17500

HEALTH AND SAFETY

This product is not expected to have adverse health implications when used for its intended application. For detailed information on safe handling of this product, refer to its Material Safety Data Sheet (MSDS). To obtain an MSDS on this or any other BENZOL products, please visit www.benzollubricants.de

