

## TRANS DRIVE ATF T-IV



## Description

**BENZOL®** Trans Drive ATF T-IV is a superior low viscosity multi-vehicle automatic transmission fluid for step-type transmissions. This product has set new standards in cold temperature fluidity and fluid robustness. This product is chemically balanced to provide protection for seals and “O” rings against corrosion, rust, and wear as well as resistance to oxidation to prolong the life of the fluid.



## Applications

**BENZOL®** Trans Drive ATF is particularly suitable for use in automatic transmissions of car & light trucks and On-highway & Off-highway heavy duty automatic transmissions.

## Specifications and Approvals

MB-APPROVAL 236.8, BMW 7045, ETL-80728, DIA QUEEN ATF SP-II/SP-III/SP-IV, MATIC FLUID C/D/J/K/S, T-IV (JWS 3309).

## Performance Benefits

- Compatible with all common seal materials.
- Provides good protection against rust and corrosion.
- Good foam control leads to smooth gear shifting.
- Compatible with all common seal materials.
- Reliable protection against wear, sludge, adhesion and Corrosion.

## Product/Part Number

TD03030333	4 x 5	TD03030323	4 x 4
TD03030173	12 x 1	TD03030173	24 X 1
TD03030513	1 x 20	TD03030533	1 x 25
TD03030563	1 x 200	TD03030573	1 x 208
TD03030603	1x1000		

## Technical Specifications

Tests	Method	Results
Appearance	Visual	Clear & Bright
Water	Hot Plate	Nil
Color	D-1500	Red
Density @ 15 °C, kg/L	D-1298	0.8525
Viscosity @ 100 °C, cSt	D-445	7.20
Viscosity @ 40 °C, cSt	D-445	35.20
Viscosity index	D-2270	175
Flash Point, °C (COC)	D-92	218
Pour Point, °C	D-97	-45
Foam SEQ.I/II/III	D-892	0/0/0
Brookfield viscosity@-40°C, cP	D-2983	11500

## HEALTH AND SAFETY

This product is not expected to have adverse health implications when used for its intended application. For detailed information on safe handling of this product, refer to its Material Safety Data Sheet (MSDS). To obtain an MSDS on this or any other BENZOL products, please visit [www.benzollubricants.de](http://www.benzollubricants.de)

