

# TRANS DRIVE ATF T-V



## Description

**BENZOL**® Trans Drive ATF T-V synthetic blend automatic transmission fluid is formulated with a blend of specially selected synthetic base oils that provide exceptional performance in a wide variety of automatic transmissions. It helps prevent the accumulation of deposits and the formation of sludge, varnish, and foam.



## Applications

**BENZOL**® Trans Drive ATF is particularly suitable for use in automatic transmissions of car & light trucks and On-highway & Off-highway heavy duty automatic transmissions.

## Specifications and Approvals

FORD WSSM2C202-B, JWS 3309, ATF Z1, MB-236.1/236.9, BMW LT 71141 ZF 5, AUDI G 052 025-A2

## Technical Specifications

## Performance Benefits

- Smoother shift in transmission.
- Does not break down in stop and go driving.
- Friction properties to provide longer transmission life.
- Compatible with all common seal materials.
- Provides good protection against rust and corrosion.

## Product/Part Number

TD03040333	4 x 5	TD03040323	4 x 4
TD03040173	12 x 1	TD03040173	24 X 1
TD03040513	1 x 20	TD03040533	1 x 25
TD03040563	1 x 200	TD03040573	1 x 208
TD03040603	1x1000		

Tests	Method	Results
Appearance	Visual	Clear & Bright
Water	Hot Plate	Nil
Color	D-1500	Red
Density @ 15 °C, kg/L	D-1298	0.8505
Viscosity @ 100 °C, cSt	D-445	7.25
Viscosity @ 40 °C, cSt	D-445	35.10
Viscosity index	D-2270	178
Flash Point, °C (COC)	D-92	216
Pour Point, °C	D-97	-48
Foam SEQ.I/II/III	D-892	0/0/0
Brookfield viscosity@-40°C, cP	D-2983	10500

## HEALTH AND SAFETY

This product is not expected to have adverse health implications when used for its intended application. For detailed information on safe handling of this product, refer to its Material Safety Data Sheet (MSDS). To obtain an MSDS on this or any other **BENZOL** products, please visit [www.benzollubricants.de](http://www.benzollubricants.de)

