



MODERN DRIVE SAE 0W-8 JASO GLV-1

Description

BENZOL® Modern Drive SAE 0W-8 JASO GLV-1 is a PAO (Polyalphaolefin) based ultra-low viscosity, fully synthetic low friction motor oil of the latest generation recommended for the lubrication of Japanese Model gasoline engines and hybrid vehicles requires JASO GLV-1. This ultra-low viscosity technology oils are specifically formulated to provide high level of fuel efficiency and deposit protection under severe service conditions.



Applications

BENZOL® SAE 0W-8 JASO GLV-1 Engine Oil is recommended for passenger cars, gasoline powered equipment and hybrid engines of Japanese Model Vehicles. For all-season use in engines operating on gasoline, high-ethanol gasoline and with or without turbo-charging and direct injection.

Specifications and Approvals

JASO GLV-1

Technical Specifications

Tests	Method	Results
Appearance	Visual	Clear & Bright
Water	Hot Plate	Nil
Color	D-1500	2.0
Density @ 15 °C, kg/l	D-1298	0.8370
Viscosity @ 100 °C, cSt	D-445	4.80
Viscosity @ 40 °C, cSt	D-445	21.65
Viscosity index	D-2270	150
Flash Point, °C (COC)	D-92	214
Pour Point, °C	D-97	-45
Foam SEQ.I/II/III	D-892	0/0/0
TBN, mg KOH/g	D-2896	7.10
CCS at -35°C (mPa.s)	D-5293	5600
Sulphated Ash(mass%)	D-874	0.78
Sulphur Content (mass%)	D-4294	0.28
Phosphorus (P) (mass%)	D-5185	0.075
HTHS at 150°C (mPa.s)	D-5481	1.85

Performance Benefits

- Low viscosity, advanced full synthetic formula.
- Outstanding low temperature capabilities.
- Can clean up sludge left behind in your engine.
- Exceptional resistance to oxidation and foaming.
- Excellent dispersive and detergent properties ensuring a clean engine.
- Improved protection during start-up by maintaining protective oil films.

Product/Part Number

MD26000333	4 x 5	MD26000323	4 x 4
MD26000173	12 x 1	MD26000173	24 X 1
MD26000513	1 x 20	MD26000533	1 x 25
MD26000563	1 x 200	MD26000573	1 x 208
MD26000603	1x1000		

HEALTH AND SAFETY

This product is not expected to have adverse health implications when used for its intended application. For detailed information on safe handling of this product, refer to its Material Safety Data Sheet (MSDS). To obtain an MSDS on this or any other BENZOL products, please visit www.benzolubricants.de

